





$$1 \text{ à } \mathbb{F} \quad \kappa \quad \Psi \quad \kappa \quad 112_{\sim} \quad \sim \quad \eta \quad \mathbb{M} \quad 283,424,566 \quad \sim \quad \mathbb{V}_{\mathbb{F}} \quad \mathbb{E}^{\sim}$$

$$\mathbb{M} \quad 25.4278 \quad \mathbb{F} \quad \hat{A}$$

$\hat{1} \sim \frac{\pi}{\sqrt{e}} \approx 0.69$ $\kappa_6 \sim 7$ $M = 245,838,089$

[illegible]
$$K_{106} \sim 7 \text{ M } 37,586,477 \sim 15.5 \text{ E} \sim 3.3721 \text{ Å}$$
$$\hat{3} \sim \bar{4} \quad \hat{K} \sim \bar{K} \quad \hat{E} \sim \bar{E} \quad H \sim \bar{H} \quad H \sim \bar{H} \quad \gamma \sim \bar{\gamma} \quad \gamma \sim \bar{\gamma}$$

$\tilde{E} \sim 5\%$ $\tilde{M} \sim 10\%$ $\tilde{\gamma} \sim 10\%$ $\tilde{\beta} \sim 10\%$ $\tilde{\alpha} \sim 10\%$ $\tilde{\tau} \sim 10\%$

$\kappa = 107, \quad \eta = 85,526,040, \quad \nu = 7.6731, \quad \hat{A} =$

2 à ψ Ẽ H d h ~ Ẽ No H à H à

$\psi \hat{A} \kappa$ $H T$ ∇ $\kappa \psi$ $\sim$ ∇i

ÿ Â

ã

$$\chi^2 = \sum_{i=1}^N \frac{(\psi_i - \bar{\psi})^2}{\sigma^2}$$

з у й

1.00 ê ¸ G í 'E˜ ¨

1

276,287,927 ~ √ ∅ Ψ κ M 97.4820 ε

$$\begin{array}{l} T_K = 78,256,801 \text{ } ^\circ \text{V} \text{ } \Psi \text{ } T_K \text{ } M \text{ } 91.5006 \text{ } ^\circ \text{ } \ddot{\text{I}} \\ 7,256,439 \text{ } ^\circ \text{V} \text{ } \Psi \text{ } T_K \text{ } M \text{ } 8.4845 \text{ } ^\circ \text{ } 12,800 \text{ } ^\circ \text{ } \ddot{\text{I}} \\ T_K = 0 \text{ } ^\circ \text{V} \text{ } \Psi \text{ } T_K \text{ } M \text{ } 0.0150 \text{ } ^\circ \text{ } \hat{A} \end{array}$$

'E ã ð
 1 ã ê 2023 ããã ç κ ψ = ì
 2 ãê κ Η Τ τ G κ ð M 'E[~] 2023
 ããã ç κ ψ ÿ ì
 'E Â

3